

DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR

DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY

AR 2024-2025

Faculty: Ayurved

Name of College: .R.A.PODAR MEDICAL COLLEGE (AYU) WORLI MUMBAI./College Code: 3101...

Sr.No	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate / Inadequate
Essential					
1	Microscopes with oil immersion	Thirty	Fifty	50	Adequate
2	Westergen's pipette for ESR	Sixty	Hundred	100	Adequate
3	Haematocrit Tube	Sixty	Hundred	100	Adequate
4	Sahli's Haemoglobinometer	Sixty	Hundred	100	Adequate
5	Haemocytometer	Sixty	Hundred	100	Adequate
6	Electrocardiograph	One	One	2	Adequate
7	Stop watches	Sixty	Hundred	100	Adequate
8	Water Distillation still	One	One	1	Adequate
9	Balances	One	One	1	Adequate
10	Centrifuge with speed control	Three	Six	6	Adequate
11	Colorimeter (photoelectric)	Three	Six	4	Adequate
12	pH meter Electric	One	One	1	Adequate
13	pH comparator with disc	One	One	1	Adequate
14	Sphygmomanometer	Thirty	Fifty	50	Adequate
15	Stethoscopes	Sixty	Hundred	80	Adequate
16	Clinical Thermometer	Sixty	Hundred	100	Adequate
17	Knee Hammer	Sixty	Hundred	50	Adequate
18	Tuning forks	Sixty	Hundred	50	Adequate
19	Sterilizer	Five	Five	2	Adequate
General					
20.	Refrigerator	One	One	1	Adequate
21.	Newton's colourwheel In a batch	One	One	1	Adequate
Miscellaneous					
22.	Cover slips, glassware, Microslides	Assorted		Assorted	Adequate

Dean/Principal Stamp & Signature

Dean

R.A. Podar Medical College (Ayus)
Worli, Mumbai - 400 018.

(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL

S. No.	Instruments and Equipments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate / Inadequate
Essential					
1.	Tank with a capacity to preserve 2-4 bodies.		Assorted	02	Adequate
2.	Machines for bones and brain sectioning		Assorted	available	Adequate
3.	Dissection Sets	Fifteen Sets	Twenty-five sets	25	Adequate
4.	Dissecting Table				
a)	Full size with steel top or marble top stainless	Four	Six	2 (2 in order process)	Adequate
b)	Half size with steel top or marble top stainless	Eight	Ten	07	Adequate
General					
5.	X-ray viewing box or panels	Three	Three	03	Adequate
Miscellaneous					
6.	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$ - fine pointed Chisel bone dissector		Assorted	Available	Adequate
7.	Glass jars of different sizes		Assorted	300 + 100	Adequate
8.	Preservative Chemicals		Assorted	1) Formaline (std) 25 lit 2) Formaline (cons) 50 lit 3) Glycerine - 10000 ml	Adequate




 Dean/Principal Stamp & Signature
 R.A. Podar Medical College (AyU.)
 Worli, Mumbai - 400 018.

(C) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR RASASHASTRA AND BHAISHAJYAKAL PANALABORATORY

Sr. No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundre dintake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Khalva Yantra-				
a)	Small	Ten	Twenty	17	Adequate
b)	Medium	Ten	Twenty	12	Adequate
c)	Porcelain	Ten	Twenty	02	Adequate
d)	Taptakhalvyantra	Two	Four	01	Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Ten	Twenty	04	Adequate
3.	Putas (Different kind)	Five	Ten	02	Adequate
4.	Moosha (Crucibles)	Thirty	Fifty	26	Adequate
5.	Koshti with Blower	Two	Four	-	Adequate
6.	Yantras				
a)	Dola Yantra	One	One	03	Adequate
b)	Valuka Yantra	One	One	01	Adequate
c)	Pithara Yantra	One	One	02	Adequate
d)	Bhudhara Yantra etc.	One	One	-	Adequate
7.	Distillation Apparatus and Arka Yantra	Three	Six	01	Adequate
8.	Kupipakva Bhatti	One	One	01	Adequate
General					
9.	Wet Grinder	One	One	02	Adequate
10.	Mixi	One	One	02	Adequate
11.	Juice Extractor	One	One	02	Adequate
12.	Refrigerator	One	One	01	Adequate
13.	Almiras and Racks for storage	Assorted		13	Adequate
14.	Balance (Different Capacities)				
a)	Physical	One	One	-	Adequate
b)	Chemical	One	One	-	Adequate
c)	Electronic Balance	One	One	05	Adequate
15.	Heating Device-				
a)	Gas Stove	Assorted		14	Adequate
b)	Hot plate	Assorted		04	Adequate
c)	Chulla (Charcoal)	Assorted		-	Adequate
16.	Big Vessels and Containers-				
a)	Brass	Assorted		43	Adequate

b)	Copper	Assorted	-	Adequate
c)	Steel etc.	Assorted	34	Adequate
d)	Earthen Vessels-Pots	Assorted	15	Adequate
Miscellaneous				
17.	Jars(Porcelain) Fermentation Purpose	Assorted	05	Adequate
18.	Enamel Trays	Assorted	04	Adequate
19.	Spirit Lamp	Assorted	12	Adequate
20.	Pressure Cooker	Assorted	04	Adequate
21.	Measuring Equipments Different Size (Glass)	Assorted	50	Adequate
22.	Pyrometer	Assorted	-	Adequate
23.	Thermo meter	Assorted	01	Adequate
24.	Vessels			
a)	Frying Pan	Assorted	11	Adequate
b)	Steel Vessel	Assorted	30	Adequate
c)	Spatula	Assorted	51	Adequate
d)	Ladles and Spoons	Assorted	25	Adequate
e)	Knife	Assorted	08	Adequate
f)	Plates	Assorted	12	Adequate
g)	Samdamsa Yantra(Tongs)	Assorted	18	Adequate
25.	Sieves (Assorted Nos. and Size)	Assorted	10	Adequate

Dean/Principal **Stamp** & Signature
R. A. Podar Medical College (Ayu.)
Worli, Mumbai - 400 018.

(D) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOGNOSY LABORATORY [DRAVYAGUNA]

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Field magnifier	One	One	01	Adequate
2.	Compound microscope	One	One	01	Adequate
3.	Dissecting Microscope	One	One	01	Adequate
4.	Microscope	Fifteen	Twenty five	25	Adequate
5.	Electronic balance	One	Two	02	Adequate
Miscellaneous					
6.	Slides box with cover slips,		Assorted	Available	Adequate
7.	Blotting/filter papers		Assorted	Available	Adequate
8.	Dissection Box		Assorted	Available	Adequate
9.	Enamel Trays		Assorted	Available	Adequate
10.	Reagents-				
a.	Chloroform		Assorted	Available	Adequate
b.	Alcohol.		Assorted	Available	Adequate
c.	HCL.		Assorted	Available	Adequate
d.	Sulphuric acid		Assorted	Available	Adequate
e.	Sodium, potassium hydroxide		Assorted	Available	Adequate
f.	Benedict solution		Assorted	Available	Adequate
g.	Sodium nitrate		Assorted	Available	Adequate
h.	Potassium nitrate		Assorted	Available	Adequate
i.	Citric acid		Assorted	Available	Adequate
j.	Iodine		Assorted	Available	Adequate
k.	Ethyl Alcohol		Assorted	Available	Adequate
l.	Potassium Iodide		Assorted	Available	Adequate
m.	Xylol/pure xylene (slide preparation)		Assorted	Available	Adequate


Dean
Dean/Principal Stamp & Signature
R. A. Podar Medical College, Yashwantrao Chavan
Worli, Mumbai - 400 018.

(E) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVIGYAN LABORATORY

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty five	25	Adequate
2.	Microscope with oil immersion	Fifteen	Twenty five	25	Adequate
3.	Monocular microscope with oil emersion lens 20(e)	Fifteen	Twenty five	20	Adequate
4.	X-ray view box	One	One	01	Adequate
5.	Sahli's Square tube	Thirty	Fifty	75	Adequate
6.	Hb pipette	Thirty	Fifty	50	Adequate
7.	WBC Pipette	Thirty	Fifty	50	Adequate
8.	Dropper	Thirty	Fifty	50	Adequate
9.	Red cell pipette	Thirty	Fifty	50	Adequate
10.	Improved Neubauer chamber	Thirty	Fifty	50	Adequate
11.	Incubator	One	Two	02	Adequate
12.	Wintrobe's tube	Thirty	Fifty	50	Adequate
13.	Pasteur's pipette	Thirty	Fifty	50	Adequate
14.	Centrifuge Graduated Machine	One	Two	02	Adequate
15.	Westergrens pipette	Thirty	Fifty	50	Adequate
16.	Westergrens's stand	Thirty	Fifty	50	Adequate
17.	Urinometer	Thirty	Fifty	50	Adequate
18.	Autoclave	One	One	01	Adequate
19.	Ultraviolet lamp	One	One	01	Adequate
20.	Cell counter (haemoautoanalyser)	One	One	01	Adequate
21.	BP Apparatus	Thirty	Fifty	50	Adequate
22.	Stethoscope	Thirty	Fifty	50	Adequate
23.	Thermometer	Thirty	Fifty	50	Adequate
24.	Tongue depressor	Thirty	Fifty	50	Adequate
25.	Stop watch	Thirty	Fifty	50	Adequate
General					
26.	Physical balance	One	One	01	Adequate
27.	Hot air oven	One	One	01	Adequate
28.	Bunsen burner	Thirty	Fifty	50	Adequate
29.	Refrigerator	One	One	01	Adequate

(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
Essential				
1.	Shadowless Lamp	One	03	Adequate
2.	Suction Machine (Neonatal)	One	04	Adequate
3.	Oxygen Cylinder and Mask	One	16	Adequate
4.	Foetal Toco Cardiograph	One	01	Adequate
5.	Radiant Warmer	One	01	Adequate
6.	Photo therapy Unit	One	01	Adequate
7.	Weighing Machine (Paediatric)	One	01	Adequate
8.	Patient trolley	Two	02	Adequate
9.	Anaesthesia trolley	One	01	Adequate
10.	Infantometer	One	01	Adequate
11.	Vacuum extractor	One	01	Adequate
12.	Foetal Doppler	One	01	Adequate
13.	Low cavity forceps	Two	01	Adequate
14.	Steriliser	Two	02	Adequate
15.	Machintosh rubber sheet	Assorted	Available	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holder etc.)	Assorted	Available	Adequate
17.	Baby tray	Two	02	Adequate
18.	Nebuliser	One	02	Adequate
19.	Foetoscope	Five	05	Adequate
20.	Auto Clave	One	01	Adequate
21.	Drums	Assorted	Available	Adequate
22.	Instrumental Trolley	Assorted	Available	Adequate
23.	OT tables and head Up and head Low facility	One	01	Adequate
24.	Pulse Oximeter	One	02	Adequate
25.	Resuscitation kit	One	01	Adequate
26.	Boyle's apparatus	One	01	Adequate
27.	Electrocautery	One	01	Adequate
28.	MTP Suction Machine	One	01	Adequate
29.	Anaesthesia Kit	One	01	Adequate
30.	Blunt and Sharp Curettes	Ten	07	Adequate
31.	Dilators set (Hegar's, Hawkins)	Five	04	Adequate

33.	Cusco's Speculum	Five	05	Adequate
34.	Anterior Vaginal Wall retractor	Five	05	Adequate
35.	Uterine sound	Five	05	Adequate
36.	Volsellum	Five	05	Adequate
37.	MTP Suction Currate	Five	01	Adequate
38.	Retractors abdominal (Doyne's etc.)	Five	01	Adequate
39.	Sponge holding forceps	Five	05	Adequate
40.	Green armytage forceps	Five	05	Adequate
41.	Uterus holding forceps	Five	05	Adequate
42.	Kocher's forceps	Five	05	Adequate
43.	Artery forceps (Long, short, Mosquito)Each	Five	05	Adequate
44.	Scissors- different sizes	Five	05	Adequate
45.	Forceps obstetrics	Five	05	Adequate
46.	Endotrachial tubes	Five	05	Adequate
47.	Cord Cutting appliances	Five	05	Adequate
48.	I.U.C.D. removing hook	Five	01	Adequate
49.	Bladder Sound	Five	02	Adequate
50.	B.P. apparatus	Two	02	Adequate
Miscellaneous				
51.	HIV kit for emergency patients	Assort ed	Available	Adequate
52.	Plain and Hole towels	Assort ed	Available	Adequate
53.	Towel Clips	Assort ed	Available	Adequate
54.	Catguts and Thread	Assort ed	Available	Adequate
55.	Needles	Assort ed	Available	Adequate
56.	Needle holders	Assort ed	Available	Adequate



Dean

Dean, Principal Stamp & Signature
Worli, Mumbai - 400 018.

(G) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE

S.No.	Equipment and Instruments	Required Quantity	Detail on College Website	Adequate/ Inadequate
S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
I			Shalya:	
Essential				
1.	Spot light (Shadow less ceiling fitted)	One	03	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	20	Adequate
3.	Dressing drums of Assorted size	Assorted	45	Adequate
4.	Drum stand	Assorted	01	Adequate
5.	IV Stand	Two	03	Adequate
6.	Cheaters Forceps	Four	04	Adequate
7.	Mosquito forceps	Four	20	Adequate
8.	Scissors straight (Tailor)	Four	04	Adequate
9.	Scissors curved of different sizes	Five each	03	Adequate
10.	Stitch removal scissors	Five each	02	Adequate
11.	Dissection forceps	Four	14	Adequate
12.	Sinus Forceps	Four	10	Adequate
13.	Probes - Assorted size	Five each	04	Adequate
14.	Pointed scissors	Four	04	Adequate
15.	Abdominal Retractors	Five	1 set	Adequate
16.	Tissue Forceps	Five	04	Adequate
17.	Bob Kock's Forceps	Five	08	Adequate
18.	Kocher's Forceps	Five	04	Adequate
19.	Urethral Dilators	Five each	1 set	Adequate
20.	Metal Catheters	Five each	06	Adequate
21.	Sponge holding forceps	Four	04	Adequate
22.	Right Angle cholecystectomy Forceps	Four	08	Adequate
23.	Stone holding forceps	Four	02	Adequate
24.	Allies Forceps small	Four	08	Adequate
25.	Allies Forceps Big	Four	08	Adequate
26.	Artery Forceps small	Four	30	Adequate
27.	Artery Forceps big	Four	30	Adequate
28.	Artery Forceps Medium	Four	20	Adequate
29.	Sigmoidoscope Rigid/flexible	One	-	Adequate
30.	Barron Pile's Gun	Two	04	Adequate
31.	Laryngoscope Pediatric/Adult	One	05	Adequate
32.	Boyles Apparatus	One	01	Adequate

35.	Suction machine Electrical or Manual	One	04	Adequate
36.	Skin grafting knife with handle	Assorted	01	Adequate
37.	Surgical blades of different size	Assorted	20	Adequate
38.	Self-Retaining Retractor	Assorted	01	Adequate
39.	Bone cutter	Two	01	Adequate
40.	Gigli Saw	Two	01	Adequate
41.	Scoop	Assorted	02	Adequate
42.	Periosteum elevator	Two	-	Adequate
43.	Maggles Forceps	Assorted	-	Adequate
44.	High Pressure Autoclave	One	03	Adequate
45.	Nitrous Oxide Cylinder	One	15	Adequate
46.	Hydrolic Operation Table	One	03	Adequate
47.	Boyle's Apparatus	One	01	Adequate
48.	Instrument Trolley	Assorted	06	Adequate
49.	Endotracheal Tube	Assorted	05	Adequate
50.	Proctoscope with or without illumination	Two	08	Adequate
51.	Gabrial Syringe	One	01	Adequate
52.	Strecher with trolley	Two	03	Adequate
53.	Suction Machine	Assorted	04	Adequate
General				
54.	Emergency power back up facility	Assorted	-	Adequate
55.	Emergency light	Four	04	Adequate
56.	Fire Extinguisher	Two	02	Adequate
57.	BP Apparatus	Assorted	01	Adequate
58.	Fumigator	One	02	Adequate
59.	Refrigerator	One	01	Adequate
60.	X-ray View Box (double)	Two	01	Adequate
61.	Revolving Stool	Assorted	03	Adequate
62.	Vertical BP Instrument	One	02	Adequate
63.	Rubber catheters of Assorted size	Assorted	20	Adequate
Miscellaneous				
64.	Corrugated rubber drain	Assorted	20	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted	15 packets	Adequate
66.	Surgical Thread	Assorted	02	Adequate
67.	BP Handle of different size	Assorted	04	Adequate
68.	Needle holder	Assorted	20	Adequate
II Shalakyia:OphthalmicEquipmentor Instrumentsfor OperativeSurgery				
Essential				

70.	Sterilizing box/case with mats	Assorted	Available	Adequate
71.	Lens insertion Forceps	Assorted	Available	Adequate
72.	Keratome	Assorted	Available	Adequate
73.	Desmarres lid retractors	Assorted	Available	Adequate
74.	Cat-paw lacrimal retractor	Assorted	Available	Adequate
75.	Mueller lacrimal sac retractor	Assorted	Available	Adequate
76.	Dastoor iris retractor	Assorted	Available	Adequate
77.	MeyrhoefChalazioncurrete	Assorted	Available	Adequate
78.	Sinsky lens manipulating hook	Assorted	Available	Adequate
79.	IOL Manipulator	Assorted	Available	Adequate
80.	Foreign body spud	Assorted	Available	Adequate
81.	Lewis lens loop (vectis)	Assorted	Available	Adequate
82.	Cystotome and spoon	Assorted	Available	Adequate
83.	Mule Evisceration spoon	Assorted	Available	Adequate
84.	Iris repository (double-ended)	Assorted	Available	Adequate
85.	Jameson muscle hook	Assorted	Available	Adequate
86.	Wills cautery with copper ball-point	Assorted	Available	Adequate
87.	Langs lacrimal sac dissector	Assorted	Available	Adequate
88.	Kelly Glaucoma punch	Assorted	Available	Adequate
89.	Elevator (double ended)	Assorted	Available	Adequate
90.	Nasal speculum adult/child	Assorted	Available	Adequate
91.	Wilder punctum Dilator	Assorted	Available	Adequate
92.	Bowman lacrimal probes	Assorted	Available	Adequate
93.	Hartman mosquito forceps	Assorted	Available	Adequate
94.	Colibri forceps 1*2 teeth	Assorted	Available	Adequate
95.	Mc. person corneal forceps with tying platform	Assorted	Available	Adequate
96.	Dressing forceps, serrated	Assorted	Available	Adequate
97.	Moorfieldconjunctival forceps	Assorted	Available	Adequate
98.	Fixation forceps	Assorted	Available	Adequate
99.	Beer cilea (epilation) forceps	Assorted	Available	Adequate
100.	Arruga capsular forceps	Assorted	Available	Adequate
101.	Snellen Entropion clamp	Assorted	Available	Adequate
102.	Chalazion clamps	Assorted	Available	Adequate
103.	Vannas straight scissors	Assorted	Available	Adequate
104.	Barraquer needle holder	Assorted	Available	Adequate
105.	Air injection cannula	Assorted	Available	Adequate
106.	Healon aspirating cannula	Assorted	Available	Adequate
107.	AC washout cannula	Assorted	Available	Adequate
108.	Lacrimal cannula	Assorted	Available	Adequate
109.	Hydrodialysis cannula	Assorted	Available	NA

111.	Simcok direct I/A cannula with silicon tubing	Assorted	Available	Adequate
112.	Irrigating aspirating handle	Assorted	Available	Adequate
113.	Lens dialer	Assorted	Available	Adequate
114.	Superior Rectus forceps	Assorted	Available	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	Available	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	Available	Adequate
III	ENT-Surgical or Operative Procedural Instruments			
Essential				
117.	Aural Syringe	Assorted	Available	Adequate
118.	Jobson's Aural Probe	Assorted	Available	NA
119.	Eustachian Catheter	Assorted	Available	NA
120.	Mastoid Retractor	Assorted	Available	Adequate
121.	Mastoid Gouge	Assorted	Available	Adequate
122.	Mallet	Assorted	Available	Adequate
123.	Nasal Foreign Body hook	Assorted	Available	Adequate
124.	Nasal packing forceps	Assorted	Available	Adequate
125.	Nasal Snare	Assorted	Available	Adequate
126.	Bayonet Shaped gouge	Assorted	Available	Adequate
127.	Walsham forceps	Assorted	Available	Adequate
128.	Laryngeal forceps	Assorted	Available	NA
129.	Tongue plate with throat suction	Assorted	Available	NA
130.	Tonsil holding forceps	Assorted	Available	Adequate
131.	Tonsillar suction	Assorted	Available	Adequate
132.	Adenoid curette with cage	Assorted	Available	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	Available	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	Available	Adequate
135.	Cheatel's Forceps	Assorted	Available	Adequate
Miscellaneous				
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted	Available	Adequate


Dean/Principal Stamp & Signature
R. A. Podar Medical College (Ayu.)
Worli, Mumbai - 400 018.

(H) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OUTPATIENT DEPARTMENT

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate
1	Kayachikitsa	Essential			
		X-Ray View Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate
		Torch	Two	02	Adequate
		Examination Table	One	01	Adequate
		Thermometer	Four	04	Adequate
		Tongue depressor	Five	05	Adequate
		Weight and height measuring stand	One	01	Adequate
		Measuring tape	One	01	Adequate
		Knee Hammer	Two	02	Adequate
		Miscellaneous			
		Gloves	Assorted	available	Adequate
		2	Shalya	Essential	
X-Ray Viewing Box	One			01	Adequate
Stethoscope	Four			04	Adequate
Instruments for ano-rectal examination	Two sets			02	Adequate
Examination Table	One			01	Adequate
BP Apparatus	Two			02	Adequate
Thermometer	Four			04	Adequate
Torch	Assorted			available	Adequate
Cheatele forceps	Assorted			available	Adequate
General					
Minor OT	Assorted			available	Adequate
Miscellaneous					
Surgical Blades	Assorted			available	Adequate
3	Shalakya			Essential	
		Tuning forks	Assorted	available	Adequate
		Ophthalmoscope/ fundoscope	Two	02	Adequate
		Auroscope	Two	02	Adequate
		Examination Table	One	01	Adequate
		X-Ray Viewing Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate
		Thermometer	Four	04	Adequate
		ENT kit	Assorted	available	Adequate
		Torch	Two	02	Adequate
		Bull's lamp	One	01	Adequate

4	Prasuti and StriRoga				
		Essential			
		Weighing machine	One	01	Adequate
		Sims's speculum	Two	02	Adequate
		Thermometer	Four	04	Adequate
		Cusco's speculum	Two	02	Adequate
		Examination Table	One	01	Adequate
		Lamp stand	One	01	Adequate
		Torch	Two	02	Adequate
		X-Ray Viewing Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate
		Measuring tape	Two	02	Adequate
5	Bal Roga				Adequate
		Essential			
		Scale	One	01	Adequate
		Weighing machine	One	01	Adequate
		Torch	Two	02	Adequate
		X-Ray View Box	One	01	Adequate
		Thermometer	Four	04	Adequate
		BP Apparatus with Pediatric cuff	Two	02	NA
		Stethoscope	Assorted	available	Adequate
		Examination Table	Assorted	available	Adequate
6	Panchkarma	As per Kayachikitsa		available	Adequate
7	Yoga Section (SwasthRakhsan)	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	available	Adequate
8	Emergency	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	available	Adequate

Dean/Principal Stamp & Signature



Dean

R. A. Podar Medical College (Ayu.)
Worli, Mumbai - 400 018.